Attest

Agricultural Marketing Service



MHHE: UMIKHEID SHRAHES OEAMHEHRI GA

TO ALL TO WHOM: THESE: PRESENTS: SHALL COME::

Seed Research Association, Inc.

Colhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF SEVENTEEN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT. OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS IFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

AGROTRICUM

'2350'

In Testimoup Wincreof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this twelfth day of December the year of our Lord one thousand nine hundred and seventy-five

Karl L. But

Secretary of Agriculture

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.	2 800 0 00		FOR OFFICE	AL USE ONLY
1. VARIETY NAME OR TEMPORARY DESIGNATION	2. KIND NAME	,	PV NUMBER	
2350	Agrotricum		75000	TIME
3. GENUS AND SPECIES NAME	4- FAMILY NAME (Bot	tantcal)	10 · 7. 74	TIME // A.M.
Agrotricum	Graminaeae		FEE RECEIVED	BALANCE DUE
- -	5. DATE OF DETERM	1INATION .	\$ 250.00	\$
	August 1972	2	\$250.00 \$250.00	\$
6. NAME OF APPLICANT(S)		nd No. or R.F.D. No.,		8. TELEPHONE AREA CODE AND NUMBER
Seed Research				
Association, Inc.	Route 2,			AC 316
		ty, Kansas	67871	872-2807
9. IF THE NAMED APPLICANT IS NOT A PE	ERSON, FORM OF	10. STATE OF INCOM	RPORATION	11. DATE OF INCOR-
ORGANIZATION: (Comporation, partnership	DRGANIZATION: (Comporation, partnership, association, etc.)			PORATION
Corporation		Kansas	in this analisasis.	June 1973
12. Name and mailing address of appli	icant representative(s	s), if any, to serve	in this application a	no receive air babers:
13. CHECK BOX BELOW FOR EACH ATTAC 13. CHECK BOX BELOW FOR EACH ATTAC 13. CHECK BOX BELOW FOR EACH ATTAC 13. CHECK BOX BELOW FOR EACH ATTAC	eeding History of the	ty	on 52 of the Plant V	ariety Protection Act.,
X 130. Exhibit C, Objective Des	•	ty		
X 136. Exhibit E, Statement of t	•	ıt's Ownership		
14A. Does the applicant(s) specify th			y name only as a cla	ass of certified seed?
14A. Does the applicant(s) specify th (See Section 83(a), (If "Yes," a	inswer 14B and 14C b	below.)		
14B. Does the applicant(s) specify th	hat this variety be	14C. If ''Yes,'' to	o 14B, how many gen	nerations of production
limited as to number of generati	ions? XYES NO	beyond bree	der seed 20 5/25/7 ION X REGISTERE	CERTIFIED
The applicant declares that a viable ance of a certificate and will be rep	sample of basic seed	y in accordance wit	h such regulations a	is may be applicable.
The undersigned applicant(s) of the uniform, and stable as required in Plant Variety Protection Act.	bis sexually-reproduce Section 41 and is en	ed novel plant varion	ety believes that the under the provisions	e variety is distinct, s of Section 42 of the
Applicant is informed that false re	presentation herein c	an jeopardize prot	ection and result in Left SIGNATURE OF APPLIE	pegalties.
/ / NUATE/		-	7 K -	1

(DATE)

(SIGNATURE OF APPLICANT)

13A Origin & Breeding History:

> Triticum aestivum/Agropyron elongatum segregate. Single plant selection in the Fo generation. Increased from this single plant selection and tested in clipping and field trials for greenchop, hay, silage, and pasture. L clavate headed type was observed in 1974 increase but line is self p9llinating and highly homozygous. Field approved for certification in 1974.

13B Botanical Description:

Seed is larger and more free threshing than Agropyron - more elongated and pointed at ends than most wheats. The texture is similar to that of a soft wheat but with a higher protein than most wheats. The seed germinates at a higher temperature than wheat. The juvenile form of growth is erect. The seedlings have long narrow leaves and a red coleoptile. The plant has many tillers. The leaves are yellowish green color. It usually has five leaves above ground level. The head is long and lax = 15 -22 spikelets. It has a hard, straw colored glume, short beards, and an extensive root system.

13C OBJECTIVE Description:

Matures 10 days to two weeks later than Scout wheat.

Excellent regrowth for pasture.

Good protein level as forage and grain.

Palatability of pasture equal to wheat.

Cold tolerant

Gemminates most readily at temperatures above that where wheats grow most readily.

Under conditions with ample moisture and fertility growth is more or less continuous.

Shows resistance to anthracnose, wheat streak, leaf and stem rust. It has drouth tolerance superior to most wheat.

It is self pollinating and highly homozygous. 36-45 inches tall

13D Novelty

Growth habit is weakly perennial and different from wheat or Agropyron ancestors.

Seed larger and more free threshing than Agropyron - more elongated and pointed at ends than most wheats. Seed higher in protein than most wheats.

Only commercial variety that resembles it closely is Agrotriticcum Variety 3425 which is taller, 3 to 5 days later maturing, and somewhat higher in protein in both the grain and forage when grown under the same acconditions.

13E Developed by plant breeder, Kenneth L. Goertzen and Betty L. Goertzen

EXHIBIT C (Agrotricum)

OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse. AGROT	RICUM					
NAME OF APPLICANT(S) SEED RESEARCH ASSOCIATES, IN	C . FOR OFFICIAL USE ONLY					
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	7500026					
Route 2	VARIETY NAME OF TEMPORARY					
Scott City, Kansas, 67871	DESIGNATION					
	2350					
Place the appropriate number that describes the varietal characte	r of this variety in the boxes below.					
Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less.						
1. TYPE: 3 Intermediate 2 = GRASS-LIKE 3 Intermediate						
2. SEASON - NUMBER OF DAYS FROM EMERGENCE TO: SCOTT COUNTY , Kansas						
277 FIRST FLOWERING	29 / LAST FLOWERING					
3. MATURITY:	WHEAT VARIETIES					
04 NO. OF DAYS EARLIER THAN	1 = CHEYENNE 2 = ARTHUR 3 = SCOUT					
NO. OF DAYS LATER THAN						
4. PLANT HEIGHT (From soil level to top of head):						
095 cm. HIGH	WHEAT VARIETIES					
6 5 CM. SHORTER THAN (8)	1 = CHEYENNE 2 = ARTHUR 3 = SCOUT					
CM. TALLER THAN.	4 = CHRIS 5 = LEMHI 6 = NUGAINES 7 = LEEDS 8 = OTHER (Specify) 3425					
5. PLANT COLOR AT BOOTING (See reverse):	A ANTHER COLOR.					
1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 = YELLOW 2 = PURPLE 2 = PURPLE 3 = OTHER (Specify)					
7. STEM:						
/ Anthocyanin: 1 = ABSENT 2 = PRESENT	Waxy Bloom: 1 = ABSENT 2 = PRESENT					
Hairiness of Last Internode of Rachis: 1 = ABSENT 2 = PRESENT	Internodes: 1 = HOLLOW 2 = SOLID					
05 NUMBER OF NODES (Originating from node above ground)						
6 CM. INTERNODE LENGTH BETWEEN FLAG LEAF AND LEAF BELOW						
8. AURICLES:						
Anthocyanin: 1 = ABSENT 2 = PRESENT	Hairiness: 1 = ABSENT 2 = PRESENT					
9. LEAF:						
Hairs of First Leaf Sheath: 1 = ABSENT 2 = PRESENT	Leaf Texture: 1 = SMOOTH 2 = ROUGH					
O 6 MM. LEAF WIDTH (First leaf below flag leaf)	25 CM. LEAF LENGTH (First leaf below flag leaf)					
Waxy Bloom of Flag Leaf Sheath: 1 = ABSENT 2 = PRESENT						
10. HEADS:						
Density: 1 = LAX 2 = MIDDENSE 3 = DENSE	3					
18 CM. HEAD LENGTH	Shape: 1 = TAPERING 2 = STRAP 3 CYLINATEICAL					
Color at Maturity: 1 = WHITE 2 = YELLOW 3 = PINK 4 = RED 4 = OTHER (Specify)						
5 = BRONZE 6 = BROWN 7 = BLACK 8 = OTHER (Spe	5 = BRONZE 6 = BROWN 7 = BLACK 8 = OTHER(Specify)					

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or in RECE!

RECEIVED
MAP 25 1975 9
AMS, GRAIN DIV.
PVPO

FORM GR-470-3 (REVE			7500026		
11. GLUMES AT MATL			· · · · · · · · · · · · · · · · · · ·		
3 Length: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) 3 = LONG (CA. 9 mm.)		3 = Width: 1 = NARROW(C) $3 = WIDE(CA)$			
Shoulder 1 = WANTING 2 = OBLIQUE 3 = ROUNDED Shape: 4 = SQUARE 5 = ELEVATED 6 = APICULATE		Beak: 1=OBTUSE 2	2 = ACUTE 3 = ACUMINATE 4 = Shor		
12. COLEOPTILE COLOR:		13. SEEDLING ANTHOCYA	NIN:		
3 1= WHITE 2= RED 3 = PURPLE		2 1 = ABSENT 2 = PRESENT			
14. JUVENILE PLANT	GROWTH HABIT:	· · · · · · · · · · · · · · · · · · ·			
	STRATE 2 = SEMI-ERECT	3 = ERECT			
15. SEED:					
Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL		Cheek: 1 = ROUNDED 2 = ANGULAR			
Brush Size: 1 = SHORT 2 = MEDIUM 3 = LONG		Brush: = NOT COLLARED 2 = COLLARED			
<u></u>	SMALL 2 = MEDIUM 3 = LARGE	Embryo Size: 1 = SMALL 2 = MEDIUM 3 = LARGE.			
Phenol Reaction: 1 = IVORY 2 = FAWN 3 = LT. BROWN 4 = BROWN 5 = BLACK		Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify)			
O8 MM. LONG	O 3 MM. WIDE	29 GM. PER 1000 SEE	DS		
16. DISEASE: (0 = Not	Tested, 1 = Susceptible, 2 = Resistant)				
2 STEM RUST Pre	/ LEAF RUST	STRIPE RUST	LOOSE SMUT		
2 POWDERY MILDEW O BUNT 2 OTHER (Specify) Antrachose, wheat streak					
17. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant)					
SAWFLY	APHID (Bydv.)	2 GREEN BUG	CEREAL LEAF BEETLE		
OTHER (Specify)	HESSIAN FLY	O GP O A	ОвОс		
	RACES	0 D E	0 F 0 G		
18. INDICATE WHICH	VARIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED:	·		
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY		
Plant tillering	3425	Seed size	3425		
Plant carriage	(t	Seed shape	"		
Leaf color	It	Coleoptile elongation	H		
Leaf carriage	fe	Coleoptile pigmentation	·//		
Leaf width	4	Root structure			
INSTRUCTIONS					
GENERAL: Foliage characteristics should be recorded at the booting stage of the plant.					
The following publications may be used as a reference aid for completing this form:					
(a) E. L. Smith, E. E. Sebesta, A. M. Schlehuber, and H. C. Young, Jr., 1960, Association of Certain Characters in a					
Collection of Wheat and Wheat Grass Hybrids, Technical Bulletin T-82, Oklahoma State University					
(b) W. E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varies (Purity, Pontribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts (1).					
(c) L. W. Briggle, and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Warienes Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.					
LEAF COLOR: Nickerson's or any recognized color fan should be used to determine the leaf color for the described variety.					
			June		
		_	- - 4		
			•		